



# NARROWTEX



## A COST-EFFECTIVE & SAFE STEEL STRAP ALTERNATIVE

## COMPOSITE/CORD STRAPPING

Narrowtex Composite Strapping is manufactured from high tenacity polyester yarns and encased in a high-quality polymer coating. Composite Strapping, also referred to as cord strap or synthetic steel, is an effective alternative to steel strapping, metal banding and plastic strapping.

Composite Strapping does not rust and therefore will not damage precious cargo during transit and storage. It is designed to absorb impacts and load shifting during transit and, unlike steel strapping, will not snap or break. Narrowtex Composite Strapping (NC) is recommended to be used with Phosphate Buckles for optimum system performance.

Consider Narrowtex Composite Strapping (NC) for a cost-effective and superior solution to your cargo securing needs. Contact Narrowtex strapping specialists for further technical information as well as demonstrations or solutions to your specialised requirements.

QUALITY ASSURED



## FEATURES & BENEFITS

- The stiffness of composite strapping makes it easy to feed the strapping under pallets.
- Composite Strapping is a safer alternative to Steel Banding.
- The polymer encasing/shell ensures that during packing our Composite Strapping is not compromised by sharp edges or rough surfaces.
- Our state of the art in-house laboratory ensures that the mixture used in our polymer provides for a consistent compound in every batch of strapping manufactured.
- Narrowtex offers an Association of American Railroad (AAR) certified composite strapping product (NC 105 GL AAR).
- Composite strapping can be custom printed.



## CUSTOMISATIONS

Composite/cord strapping can be printed in various colours.

This is often requested by our clients to indicate break strength as well as promote their brand identity.



## INDUSTRY APPLICATIONS

- Container and Export Packing
- Chemical Industry
- Glass Manufacturers
- Galvanisers
- Paper Manufacturers
- Machinery Manufacturers – Conveyers, Engines, Steel Rollers
- Mining
- Export Crating

### CONTACT US

Tel: +27 36 352 3108

Narrowtex@narrowtex.co.za | [www.narrowtex.com](http://www.narrowtex.com)

254 Loskop Road,  
Estcourt, 3310  
South Africa

# NARROWTEX

NARROWTEX IS PART OF THE NTX GROUP, A SUBSIDIARY OF SA BIAS INDUSTRIES PTY LTD

## COMPOSITE/CORD STRAPPING PRODUCTS

STOCK CODE	WIDTH (MM)	WIDTH (INCHES)	BREAKING STRENGTH (KG)	BREAKING STRENGTH (POUNDS)	COIL SIZE (METRES)	COIL SIZE (FEET)	COILS PER PALLET
NC40	13	1/2	310	685	1100	3610	90
NC50	16	5/8	400	880	850	2790	90
NC55	16	5/8	540	1200	850	2790	90
NC60	19	3/4	470	1040	600	1970	90
NC65	19	3/4	620	1370	500	1640	90
NC85 GL	25	1	785	1730	500	1640	90
NC105	32	1 1/4	1450	3200	230	755	90
NC105A GL AAR	32	1 1/4	1600	3530	230	755	90

\*ALL BREAKS ARE NOMINAL +/- 5%

Please contact us for any custom packing, size or other specific requirements