



NARROWTEX



SAFER, LIGHTER, AND AS STRONG AS STEEL STRAPPING

WOVEN POLYESTER STRAPPING

The Narrowtex range of polyester woven strapping is marketed under the brand NARROSTRAP™ and is the ideal solution for various applications as the woven polyester strapping does not split, is flexible and can be used universally.

NARROSTRAP™ is woven from high tenacity polyester yarn and is the superior and safe alternative to all other types of banding including steel, composite, extruded, chains and wire ropes. NARROSTRAP™ is available in a wide variety of tensile strengths and widths to suit any requirements. Using various combinations of buckles, tensioners and dispensers, NARROSTRAP™ holds cargo firmly during transit and is ideal for securing heavy or uneven loads. The strapping can be tensioned using manual or pneumatic tension tools.

NARROSTRAP™

NARROSTRAP™ is the registered tradename for the superior brand of strapping manufactured by Narrowtex

QUALITY ASSURED



FEATURES & BENEFITS

- > Economical
- > Safe to use
- > Maximum impact resistance
- > Minimal lash back during cutting
- > High join efficiency
- > Shock absorbent
- > Maintains tension over time
- > Corrosion free
- > No cargo damage
- > Ideal for manual handling & disposal
- > Soft on hands
- > Low tooling costs & maintenance
- > Lightweight & portable
- > UV resistant
- > Weather resistant
- > As strong as steel
- > High system strengths
- > Exclusive extra grip buckle provides superior join efficiency
- > Custom printing available



CUSTOMISATIONS

NARROSTRAP™ can be printed in various colours as well as pigmented to any colour. This is often requested by our clients to indicate break strength as well as promote their brand identity.

LOAD SECURING INDUSTRIES

NARROSTRAP™ systems can be used in every type of load securing whether inside or on top of rail cars, containers, shipping vessels, trucks, lorries, flat racks, open-top containers, freight carriers, including:

- Timber / Lumber industry : Secure bundling
- Machinery: engines, equipment
- Plastics: piping, sheeting
- Open top loading
- Steel and metal: pipes, sheeting
- Engineering: lifting, machinery
- Automotive: cars, parts in transit
- Pulp and paper: bulk transportation
- Export Packing: lashing cargo securement for export
- Chemical and petrochemicals: drums, containers
- Vessels: irregular shaped cargo, containerization
- Transport and logistics: flat racks, rail cars, trucking
- Food and beverage: securing and palletizing
- Ports and terminals: lifting, packing and loading
- Construction: brickyards, scaffold, precast, concrete products
- Shipping: shipping crates, cargo inside containers, bundled loads
- Armed and defense forces: securement during transportation



CONTACT US

Tel: +27 36 352 3108

Narrowtex@narrowtex.co.za | www.narrowtex.com

254 Loskop Road,
Estcourt, 3310
South Africa

NARROWTEX

NARROWTEX IS PART OF THE NTX GROUP, A SUBSIDIARY OF SA BIAS INDUSTRIES PTY LTD

WOVEN POLYESTER STRAPPING PRODUCTS

STOCK CODE	WIDTH (MM)	WIDTH (INCHES)	BREAKING STRENGTH (KG)	BREAKING STRENGTH (POUNDS)	COIL SIZE (METRES)	COIL SIZE (FEET)	COILS PER PALLET
40LSAW	13	1/2	220	480	1100	3609	36
40NW	13	1/2	300	660	1100	3609	36
Q131	13	1/2	360	790	1000	3281	36
40NSAW	13	1/2	400	880	1100	3609	36
45NSAW	13	1/2	550	1210	750	2461	36
50LSAW	16	5/8	260	570	850	2789	36
Q161	16	5/8	350	770	1000	3281	36
50NW	16	5/8	350	770	850	2789	48
50NSAW	16	5/8	480	1060	850	2789	36
55NSAW	16	5/8	620	1370	600	1969	48
60LSAW	19	3/4	320	700	600	1969	36
Q184	19	3/4	400	880	1000	3281	36
60NW	19	3/4	450	990	600	1969	48
Q189	19	3/4	550	1210	850	2789	36
60NSAW	19	3/4	580	1280	600	1969	48
65NSAW	19	3/4	750	1650	500	1640	36
Q187	19	3/4	840	1850	500	1640	36
75NW	19	3/4	925	2040	500	1312	36
Q188	19	3/4	1000	2200	500	1640	36
75NSAW	19	3/4	1100	2425	500	1640	36
66NSAW	19	3/4	1225	2700	503	1650	36
85NSAW	25	1	950	2090	500	1640	36
95NSAW	25	1	1250	2750	400	1312	36
Q333	32	1 1/4	750	1650	500	1640	36
Q322	32	1 1/4	1000	2200	500	1640	36
105NSAW	32	1 1/4	1350	3000	150	492	36
96NSAW	32	1 1/4	1475	3250	201	659	48

*ALL BREAKS ARE NOMINAL +/- 5%

Please contact us for any custom packing, size or other specific requirements